

TILA

PRODUCT DATA SHEET



Dietiker
SINCE 1873

TILA

DESIGN: CHRISTOPH HINDERMANN, 2004

The ultra-slim Tila is a clever, filigree, and innovative solution for seminar, with outstanding stackability up to 30 chairs. It is an optimal solution for interior flexibility. Available in beech or oak with row connections, optional upholstered seat and back, and with writing tablet.



TECHNICAL DATA

CONSTRUCTION

U-shaped steel wire frame, Ø 12 mm, welded
Moulded plywood seat and back, 6-8-ply
Hidden seat fastening using expanding sleeves, foam-padded stacking bases
Back fastened to side bars using hidden connector
Stacking base, PUR black, foam padding

CONFIGURATIONS

Standard: Moulded plywood seat and back in beech
Option: Perforated seat
Upholstered seat
Upholstered seat and back
Flame-retardant foam padding
Writing tablet (minimum order quantity 100 pieces)

TYPE OF WOOD

Standard: Beech
On request: Oak (minimum order quantity 100 pieces)
Option: CPL, according to standard collection

OBERFLÄCHENBEHANDLUNG METALLTEILE

Chromed


WOOD SURFACE TREATMENT

Stained with highly light-fast, water-based stain (dye/pigment) on request.
Coated with 2-component, water-based polyurethane lacquer that has excellent light-fast properties and acts as a UV filter.
Meets highest standards according to DIN 68861 and complies with increased fire safety requirements (flame-retardant).
The same applies to solvent-based coatings used on oak.


GLIDES

Standard: Plastic
Option: Felt

DIMENSIONS



Weight 6 kg
Fabric need 0.50 - 0.55 lfm.
Leather need 0.35 - 0.7 m²
Load up to 110 kg
Stackable Yes



www.buv.com
ID 1111212085

TILA OVERVIEW



Chair



Details



Transport cart "Tila"



Transport cart



Writing tablet